Approved For Release 2008/07/29 : CIA-RDP80T00246A000601050001-8

		PAGE FOR SPECIAL CONTROLS, IE ANY
•		This material contains information affecting thes
	INFORMATION REPORT	National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C.
PREPAF	RED AND DISSEMINATED BY	Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized per-
	CENTRAL INTELLIGENCE AGENCY	son is prohibited by law.
COUNTRY		
UBJECT	Mingary	
OBJECT	ADMV ravious completed	DATE DISTRIBUTED 19 Mar 525X1
	ARMY review completed.	NO. OF PAGES NO. OF ENCLS.
	Underground Ammunition Storage	25X1
		SUPPLEMENT TO REPORT #
1.	This report is the result of a joint collection Army, the Navy, and CIA and is disseminated in of NSCID #17.	n effort by the Air Force, the
	At Budsors Airfield, storage facility / pinpointed on overlay sketch	an underground ammunition 25X1 described at the end of this
2.		described at the end of this is behind a concrete fence, three meters back from the road. rok Balint Firing Range. There A high voltage line, probably 25V1
	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, The installation is across the road from the Torare no smokestacks or other outlets for smoke. from the Budakeszi area, enters the installation	described at the end of this ls behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1
2.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, The installation is across the road from the Torare no smokestacks or other outlets for smoke. from the Budakeszi area, enters the installation leaving the installation were searched.	described at the end of this ls behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1 1. Fersonnel entering and 25X1 25X1 the Torok Balint and the 25X1 rkers had handled trotyl. Some
2.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, The installation is across the road from the Torare no smokestacks or other outlets for smoke. from the Budakeszi area, enters the installation leaving the installation were searched. workers from to Nagyteteny Gyar had yellow fingernails. The workers	described at the end of this ls behind a concrete fence, three meters back from the road. Took Balint Firing Range. There A high voltage line, probably 25X1 25X1 the Torok Balint and the 25X1 the Torok Balint and the right and landled trotyl. Some unition facility.
2.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, The installation is across the road from the Ton are no smokestacks or other outlets for smoke. from the Budakeszi area, enters the installation leaving the installation were searched. workers from to Nagyteteny Gyar had yellow fingernails. The worker from the may have worked at this underground amount.	described at the end of this ls behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1 25X1 The Torok Balint and the 25X1 There had handled trotyl. Some unition facility. 25X1
2.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, The installation is across the road from the Torare no smokestacks or other outlets for smoke. from the Budakeszi area, enters the installation leaving the installation were searched. workers from to Nagyteteny Gyar had yellow fingernails. The work of them may have worked at this underground amount classified CONFIDEWTIAN	described at the end of this is behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1 25X1 the Torok Balint and the 25X1 rkers had handled trotyl. Some unition facility. 25X1 25X1
2.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, The installation is across the road from the Ton are no smokestacks or other outlets for smoke. from the Budakeszi area, enters the installation leaving the installation were searched. workers from to Nagyteteny Gyar had yellow fingernails. The work of them may have worked at this underground ammunities classified CONFIDENTIAL A. Overlay sketch pinpointing the ammunities paragraphs 1 and 2.	described at the end of this is behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1 25X1 the Torok Balint and the 25X1 rkers had handled trotyl. Some unition facility. 25X1 25X1
2.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, The installation is across the road from the Ton are no smokestacks or other outlets for smoke. from the Budakeszi area, enters the installation leaving the installation were searched. workers from the Nagyteteny Gyar had yellow fingernails. The work of them may have worked at this underground amount of them may have worked at this underground amount of them may sketch pinpointing the amounting paragraphs 1 and 2. B. Memory sketch of the amountion storage 1. Guard tower 2. Guard tower 3. Truck entrance 4. Personnel entrance 5. Canteen 7	described at the end of this is behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1 25X1 the Torok Balint and the 25X1 rkers had handled trotyl. Some unition facility. 25X1 25X1
3.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, The installation is across the road from the Ton are no smokestacks or other outlets for smoke. from the Budakeszi area, enters the installation leaving the installation were searched. workers from the Nagyteteny Gyar had yellow fingernails. The work of them may have worked at this underground amount of them may have worked at this underground amount paragraphs 1 and 2. B. Memory sketch pinpointing the amounting paragraphs 1 and 2. Guard tower	described at the end of this is behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1 25X1 the Torok Balint and the 25X1 rkers had handled trotyl. Some unition facility. 25X1 25X1
3.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, about two meters high and two to three cm thick, about two meters high and two to three cm thick, about two meters high and two to three cm thick, about two meters high and two to three cm thick, from the Budakeszi area, enters the installation leaving the installation were searched. workers from the leaving the installation workers from the leaving	described at the end of this ls behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1 25X1 The Torok Balint and the 25X1 the Torok Balint and the 25X1 rkers had handled trotyl. Some unition facility. 25X1 25X1 25X1 25X1 25X1
3.	storage facility / pinpointed on overlay sketch report/. The installation, about one km long, about two meters high and two to three cm thick, about two meters high and two to three cm thick, about two meters high and two to three cm thick, about two meters high and two to three cm thick, about two meters high and two to three cm thick, from the Budakeszi area, enters the installation leaving the installation were searched. workers from the leaving the installation workers from the leaving	described at the end of this is behind a concrete fence, three meters back from the road. Tok Balint Firing Range. There A high voltage line, probably 25X1 25X1 the Torok Balint and the 25X1 there had handled trotyl. Some unition facility. 25X1 25X1 the are: ion storage area described in the area. The legend:




Approved For Release 2008/07/29 : CIA-RDP80T00246A000601050001-8

25X1

AF FORM 112—PART II APPROVED 1 JUNE 1948 CONFIDENTIAL (CLASSIFICATION)

AIR INTELLIGENCE INFORMATION REPORT



NOTE: THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT, 50 U. S. C.—
31 AND 32. AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.
IT MAY NOT BE REPRODUCED IN WHOLE OR IN PART, BY OTHER THAN UNITED STATES AIR FORCE AGENCIES, EXCEPT BY PERMISSION OF THE DIRECTOR OF INTELLIGENCE, USAF.

CONFIDENTIAL

AF FORM 112—PART II

CONFIDENTIAL (CLASSIFICATION)

APPROVED 1 JUNE 1948 25X1 AIR INTELLIGENCE INFORMATION REPORT 25X1 PAGE PAGES 3) BUS STOP (4) (Z) TOROK BALINT FIRING RANGE

SKETCH OF
UNDERGROUND AMMUNITION INSTALLATION

25X1

TO BUDAORS

NOTE: THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT, 50 U. S. C.—
31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.
IT MAY NOT BE REPRODUCED IN WHOLE OR IN PART, BY OTHER THAN UNITED STATES AIR FORCE AGENCIES, EXCEPT BY PERMISSION OF THE DIRECTOR OF INTELLIGENCE, USAF.

CONFIDENTIAL

Approved For Release 2008/07/29: CIA-RDP80T00246A000601050001-8 OVERNMENT PRINTING OFFICE